

Product Information: Cyclinex®-1

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

Cyclinex®-1

Amino acid-modified infant formula with iron



- 1 Nutrition support of infants and toddlers with a urea cycle disorder, gyrate atrophy of the choroid and retina, or HHH syndrome.
- 1 Use under medical supervision.
- 1 Nonessential amino acid-free to decrease the ingestion of waste nitrogen.
- 1 L-carnitine (190 mg/100 g) and taurine (40 mg/100 g) to help supply amounts normally found in human milk and foods of animal origin.
- 1 Approximately 43% of energy as fat to help achieve acceptable formula osmolality.
- 1 6.9% of energy as linoleic acid.
- 1 Nutrient profile specifically designed for infants and toddlers.
- 1 Additional vitamins and minerals to compensate for nutrient losses due to nitrogen-scavenger medications.
- 1 When fed according to the *Abbott Nutrition Support Protocols*, provides adequate amounts of all nutrients.
- 1 Non-GMO. Ingredients not genetically engineered.
- 1 Lactose-free.
- 1 Gluten-free.
- 1 Halal.

Safety Precautions

- 1 Not intended as a sole source of nutrition.
- 1 Give only to infants and toddlers with a proven urea cycle disorder, gyrate atrophy or HHH syndrome who are under medical supervision.
- 1 Must be supplemented with protein and fluid in prescribed amounts to completely meet protein and water requirements.
- 1 Do not boil mixture or use terminal sterilization.
- 1 **Never use a microwave oven to warm formula.** Serious burns can result.
- 1 Not for IV use.
- 1 Powdered infant formulas are not sterile and should not be fed to premature infants or infants who might have immune problems unless directed and supervised by your baby's doctor.

Ingredients

Powder Unflavored:

Corn Syrup Solids, High Oleic Safflower Oil, Coconut Oil, Soy Oil, Modified Corn Starch, L-Leucine. Less than 2% of: L-Lysine, Calcium Phosphate, L-Valine, L-Isoleucine, Potassium Phosphate, L-Tyrosine, L-Threonine, L-Phenylalanine, Sodium Citrate, Potassium Citrate, Magnesium Chloride, L-Cystine Dihydrochloride, L-Histidine, L-Methionine, M. Alpina Oil, L-Tryptophan, C. Cohnii Oil, Calcium Carbonate, Citric Acid, Ascorbic Acid, L-Carnitine, Inositol, Choline Chloride, Taurine, Ferrous Sulfate, Ascorbyl Palmitate, Zinc Sulfate, dl-Alpha-Tocopheryl Acetate, Mixed Tocopherols, Calcium Pantothenate, Niacinamide, Manganese Sulfate, Thiamine Hydrochloride, Copper Sulfate, Vitamin A Palmitate, Riboflavin, Pyridoxine Hydrochloride, Potassium Iodide, Folic Acid, Phylloquinone, Chromium Chloride, Sodium Selenate, Sodium Molybdate, Biotin, Vitamin D3, Vitamin B12, and Salt.

Availability

List Number	Item
67032	Cyclinex-1 / 14.1 oz (400 g) Can / 6 ct

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

Abbott Nutrition Abbott Laboratories
Columbus, OH 43219-3034
1-800-227-5767

2 of 4



Nutrition Information - Powder Unflavored

	100 g Powder	
	Value	%RDI / %DV
Protein Equivalent, g	7.5	
Fat, g	24.6	
Carbohydrate, g	57.0	
Linoleic Acid, mg	4000	
Linolenic Acid, mg	410	
L-Carnitine, mg	190	
Calories	510	
Vitamin A, IU	1450	
Vitamin A, mcg RE	435	
Vitamin D, IU	510	
Vitamin D, mcg	12.8	
Vitamin E, IU	14	
Vitamin E, mg alpha-TE	7.2	
Vitamin K, mcg	70	
Thiamin (Vitamin B1), mcg	1235	
Riboflavin (Vitamin B2), mcg	725	
Vitamin B6, mcg	625	
Vitamin B12, mcg	0.92	
Niacin, mcg	4840	
Niacin, mg NE	10.2	
Folic Acid (Folacin), mcg	97	
Pantothenic Acid, mcg	4580	
Biotin, mcg	26.4	
Vitamin C, mg	75	
Choline, mg	106	
Inositol, mg	160	
Calcium, mg	650	
Phosphorus, mg	455	
Magnesium, mg	55	
Iron, mg	8.75	
Zinc, mg	5.8	
Manganese, mcg	425	
Copper, mcg	450	
Iodine, mcg	70	
Selenium, mcg	23.8	
Chromium, mcg	14	
Molybdenum, mcg	15	
Sodium, mg	215	
Sodium, mEq	9.4	

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

Nutrition Information - Powder Unflavored

	100 g Powder	
	Value	%RDI / %DV
Potassium, mg	760	
Potassium, mEq	19.4	
Chloride, mg	390	
Chloride, mEq	11.0	

Preparation

Instructions for Use: Use Only As Directed by a Physician

Your baby's health depends on carefully following these directions. Proper hygiene, handling and storage are important when preparing infant formula. Failure to follow these directions could result in severe harm. Ask your baby's doctor if you need to use cooled, boiled water for mixing and if you need to boil (sterilize) bottles, nipples and rings before use.

- 1 Wash your hands, surfaces and utensils.
- 1 Pour prescribed amount of water into clean container.
- 1 Add prescribed amount of Cyclinex-1 powder (and other ingredients if recommended).
- 1 Shake well for 10-15 seconds; if using a blender, mix no more than 5 seconds.
- 1 Pour mixture into clean feeding bottles or container; cap.
- 1 Once feeding begins, use within 1 hour or discard.

Approximate weights for uppacked, level U.S. standard dry household measures for powder*

Household Measure (US)	Weight (g)
1 Tbsp	8
1/4 Cup	30
1/3 Cup	40
1/2 Cup	60
1 Cup	120

* For most accurate results, Cyclinex-1 should be weighed on a scale that reads in grams.

Storage & Handling

Instructions for Use:

- 1 Once mixed, store bottles or container in refrigerator and **feed to baby or child within 24 hours**
- 1 Store unopened or opened can at room temperature; avoid extreme temperatures.
- 1 **Use opened can contents within 1 month.**