

## Product Information: EleCare® (for Infants)

For more information, contact your Abbott Nutrition Representative or visit  
[www.abbottnutrition.com](http://www.abbottnutrition.com)

# EleCare® (for Infants)

## Amino acid-based powder infant formula with iron

- 1 ELECARE is a 20 Cal/fl oz, nutritionally complete amino acid-based formula for infants who cannot tolerate intact or hydrolyzed protein. It is indicated for the dietary management of protein maldigestion, malabsorption, severe food allergies, short-bowel syndrome, eosinophilic GI disorders, GI-tract impairment, or other conditions in which an amino acid-based diet is required.
- 1 For infants 0 to 12 months of age.
- 1 For oral or tube feeding.
- 1 Use under medical supervision.
- 1 Clinically documented to be hypoallergenic<sup>1,\*</sup> to virtually eliminate the potential for an allergic reaction to the formula in multiple-food-allergic infants.
- 1 Clinically shown to support the growth of exclusively formula-fed infants.<sup>2,\*</sup>
- 1 100% free amino acids as nitrogen source.
- 1 DHA and ARA, nutrients that help support brain and eye development.
- 1 33% of fat blend as MCTs, an easily digested and well-absorbed fat source.
- 1 Supported by strict manufacturing standards and ELISA (Enzyme-Linked ImmunoSorbent Assay) testing.
- 1 Does not contain milk protein, soy protein, fructose, galactose, lactose, or gluten.
- 1 Halal.
- 1 Kosher – made with pareve ingredients.



## Safety Precautions

- 1 **Never use a microwave oven to warm formula.** Serious burns can result.
- 1 Powdered infant formulas are not sterile and should not be fed to premature infants or infants who might have immune problems unless directed and supervised by your baby's doctor.
- 1 Not for IV use.

\* Study conducted with a previous formulation of EleCare Unflavored without DHA/ARA.

<sup>1</sup> Sicherer SH, et al. *J Pediatr.* 2001;138:688-693.

<sup>2</sup> Borschel MW, et al. *Clin Pediatr.* 2013;52(10):910-917.

## Ingredients

### Powder Unflavored:

Corn Syrup Solids (55%), High Oleic Safflower Oil (9%), Medium Chain Triglycerides (8%), Soy Oil (7%), L-Glutamine (2%). Less than 2% of: C. Cohnii Oil, M. Alpina Oil, L-Asparagine, L-Leucine, L-Lysine Acetate, DATEM, Calcium Phosphate, L-Valine, Potassium Phosphate, L-Isoleucine, L-Arginine, L-Phenylalanine, L-Tyrosine, L-Threonine, Potassium Citrate, Sodium Citrate, L-Proline, L-Serine, L-Alanine, Glycine, L-Histidine, L-Methionine, Ascorbic Acid, Magnesium Chloride, Calcium Carbonate, L-Cystine Dihydrochloride, L-Tryptophan, Salt, Choline Chloride, Inositol, Ferrous Sulfate, Taurine, Ascorbyl Palmitate, Zinc Sulfate, dl-Alpha-Tocopheryl Acetate, L-Carnitine, Niacinamide, Calcium Pantothenate, Thiamine Hydrochloride, Copper Sulfate, Manganese Sulfate, Vitamin A Palmitate, Riboflavin, Pyridoxine Hydrochloride, Folic Acid, Beta-Carotene, Biotin, Phylloquinone, Chromium Chloride, Potassium Iodide, Sodium Selenate, Sodium Molybdate, Vitamin D3, and Vitamin B12.

## Availability

List Number	Item
55251	EleCare Powder / 14.1 oz (400 g) Can / 6 ct

For more information, contact your Abbott Nutrition Representative or visit  
[www.abbottnutrition.com](http://www.abbottnutrition.com)

### Nutrition Information - Powder Unflavored

	100 Cal (Prepared as directed)		100 g Powder	
	Value	%RDI / %DV	Value	%RDI / %DV
Calories	100		475	
Protein Equivalent, g	3.1		14.5	
Fat, g	4.8		23	
Carbohydrate, g	10.7		51	
Water, g	132			
Linoleic Acid, mg	840		4000	
Vitamin A, IU	273		1300	
Vitamin A, mcg RE	82		390	
Vitamin D, IU	60		285	
Vitamin D, mcg	1.5		7.1	
Vitamin E, IU	2.1		10	
Vitamin K, mcg	13		60	
Thiamin (Vitamin B1), mcg	210		1000	
Riboflavin (Vitamin B2), mcg	105		500	
Vitamin B6, mcg	84.2		400	
Vitamin B12, mcg	0.4		2.0	
Niacin, mcg	1680		8000	
Folic Acid (Folacin), mcg	29.5		140	
Pantothenic Acid, mcg	421		2000	
Biotin, mcg	4.2		20	
Vitamin C (Ascorbic Acid), mg	9		43	
Choline, mg	15		71	
Inositol, mg	5.1		24	
Calcium, mg	116		550	
Calcium, mEq	5.8		27.5	
Phosphorus, mg	84.2		400	
Magnesium, mg	8.4		40	
Iron, mg	1.8		8.4	
Zinc, mg	1.15		5.5	
Manganese, mcg	84		400	
Copper, mcg	126		599	
Iodine, mcg	8.9		42	
Selenium, mcg	2.6		12.6	
Chromium, mcg	2.3		11	
Molybdenum, mcg	2.5		12	
Sodium, mg	45		215	
Sodium, mEq	2.0		9.4	
Potassium, mg	150		715	
Potassium, mEq	3.9		18.3	

For more information, contact your Abbott Nutrition Representative or visit  
[www.abbottnutrition.com](http://www.abbottnutrition.com)

### Nutrition Information - Powder Unflavored

	100 Cal (Prepared as directed)		100 g Powder	
	Value	%RDI / %DV	Value	%RDI / %DV
Chloride, mg	60		285	
Chloride, mEq	1.7		8.0	
Volume, mL	148			
Potential Renal Solute Load, mOsm	28			

### Preparation

#### Instructions for Use:

Your baby's health depends on carefully following these directions. Proper hygiene, handling and storage are important when preparing infant formula. Failure to follow these directions could result in severe harm. Ask your baby's doctor if you need to use cooled, boiled water for mixing and if you need to boil (sterilize), bottles, nipples and rings before use.

- 1 Wash your hands, surfaces and utensils.
- 1 Pour desired amount of water into clean bottle (see Powder Mixing Guide).
- 1 Add 1 unpacked level scoop (9.4 g) to each 2 fl oz of water; return dry scoop to can.
- 1 Cap bottle; shake well; attach nipple.
- 1 Once feeding begins, **use within 1 hour or discard.**

#### Powder Mixing Guide

Measure water	+	Add scoop(s) of <i>unpacked, level powder</i> using enclosed scoop	=	Finished bottle (approx)
2 fl oz		1 scoop (9.4 g)		2 fl oz
4 fl oz		2 scoops (18.8 g)		4 fl oz
6 fl oz		3 scoops (28.2 g)		6 fl oz

For most accurate results, EleCare should be weighed on a scale that reads in grams.

The contents of one container (400 g), when mixed as directed (at 20 Cal/fl oz), will yield approximately 95 fl oz of formula.

### Storage & Handling

#### Instructions for Use:

- 1 Once mixed, store bottles in refrigerator and feed to **baby within 24 hours.**
- 1 Store unopened or opened container at room temperature; avoid extreme temperatures.
- 1 **Use opened can contents within 1 month.**