

Product Information: PediaSure® Enteral Formula 1.0 Cal

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

PediaSure® Enteral Formula 1.0 Cal

Complete, Balanced Nutrition®

- 1 PEDIASURE ENTERAL FORMULA 1.0 Cal is a source of complete, balanced nutrition especially designed for the tube feeding of children 1 to 13 years of age.
- 1 For tube feeding.
- 1 May be used as the sole source of nutrition or as a supplement.
- 1 Use under medical supervision.
- 1 No artificial growth hormones.*
- 1 Milk-based, complete, balanced nutrition.
- 1 1.0 Cal/mL, 240 Cal/8 fl oz, from a balanced distribution of protein, fat, and carbohydrate.
- 1 Meets or exceeds 100% of the DRIs for protein and 25 essential vitamins and minerals for children 1-8 years of age in 1000 Cal (1000 mL), and for children 9-13 years of age in 1500 Cal (1500 mL).
- 1 DHA (32 mg per 8 fl oz) and lutein to support the brain and eyes.^{1,2}
- 1 Vitamin D, calcium and phosphorus for strong bones.
- 1 Good source of antioxidants (vitamins C & E and selenium) to support the immune system.
- 1 Kosher.
- 1 Halal.
- 1 Gluten-free.
- 1 Suitable for lactose intolerance.



Safety Precautions

- 1 Not intended for infants under 1 year of age unless specified by a physician.
- 1 Not for IV use.
- 1 Not for children with galactosemia.

* No significant difference has been shown between milk derived from rbST-treated and non-rbST-treated cows.

¹ Lauritzen L, et al. *Prog Lipid Res.* 2001;40:1-94.

² Krinsky NI, et al. *Annu Rev Nutr.* 2003;23:171-201.

Ingredients

Liquid Vanilla:

Water, Corn Maltodextrin, Blend of Vegetable Oils (High Oleic Safflower, Soy, Medium Chain Triglycerides), Milk Protein Concentrate, Sugar, Soy Protein Isolate. Less than 0.5% of: Vitamins & Minerals (Potassium Phosphate, Potassium Citrate, Calcium Carbonate, Potassium Chloride, Magnesium Phosphate, Calcium Phosphate, Ascorbic Acid, Choline Chloride, Ferrous Sulfate, dl-Alpha-Tocopheryl Acetate, Zinc Sulfate, Niacinamide, Calcium Pantothenate, Manganese Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Vitamin A Palmitate, Copper Sulfate, Folic Acid, Chromium Chloride, Potassium Iodide, Sodium Molybdate, Sodium Selenate, Biotin, Phyloquinone, Vitamin D3, Vitamin B12), Natural & Artificial Flavor, Cellulose Gel, Tuna Oil (Source of docosahexaenoic acid [DHA]), Soy Lecithin, Monoglycerides, Carrageenan, Salt, Cellulose Gum, Potassium Hydroxide, Inositol, Taurine, L-Carnitine, and Lutein.

Allergens: Contains milk and soy ingredients.

Availability

List Number	Item
67401	PediaSure Enteral 1.0 Cal Vanilla / 8 fl oz (237 mL) Can / 24 ct

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

PediaSure® Enteral Formula 1.0 Cal

Complete, Balanced Nutrition®

Nutrition Information - Liquid Vanilla

	8 fl oz (237 mL)	
	Value	%RDI / %DV
Protein, g	7	
Fat, g	9	
Saturated Fat, g	2.5	
Trans Fat, g	0	
Polyunsaturated Fat, g	2.5	
Monounsaturated Fat, g	3.5	
Cholesterol, mg	5.0	
Carbohydrate, g	33	
Dietary Fiber, g	<1	
Total Sugars, g	7	
Added Sugars, g	7	
L-Carnitine, mg	4.0	
Taurine, mg	18	
Water, g	200	
Calories	240	
Vitamin A, mcg RAE	140	
Vitamin D, mcg	6.0	
Vitamin E, mg	3.0	
Vitamin K, mcg	18	
Vitamin C, mg	23	
Folate, mcg DFE	60	
Folic Acid, mcg	36	
Thiamin (Vitamin B1), mg	0.30	
Riboflavin (Vitamin B2), mg	0.33	
Vitamin B6, mg	0.34	
Vitamin B12, mcg	0.48	
Niacin, mg NE	3.2	
Choline, mg	80	
Biotin, mcg	8.0	
Pantothenic Acid, mg	1.3	
Inositol, mg	20	
Sodium, mg	90	
Potassium, mg	470	
Chloride, mg	230	
Calcium, mg	330	
Phosphorus, mg	250	
Magnesium, mg	40	
Iodine, mcg	23	
Manganese, mg	0.46	

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

Nutrition Information - Liquid Vanilla

	8 fl oz (237 mL)	
	Value	%RDI / %DV
Copper, mg	0.14	
Zinc, mg	1.7	
Iron, mg	2.7	
Selenium, mcg	8.0	
Chromium, mcg	9.0	
Molybdenum, mcg	9.0	

Preparation

Instructions for Use:

- 1 Shake well.
- 1 Store unopened at room temperature.
- 1 Clean top of container thoroughly before opening.
- 1 After opening, cover, refrigerate and **use within 48 hours**.

Tube Feeding

- 1 Follow physician's instructions for flow rate, volume, dilution and need for additional fluids.