

Product Information: Pro-Phree®

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com



- 1 Nutrition support of infants and toddlers who require extra calories, minerals, and vitamins and/or protein restriction.
- 1 Use under medical supervision.
- 1 Protein-free to permit protein restriction or the addition of extra energy, minerals, and vitamins.
- 1 L-carnitine (25 mg/100 g) and taurine (50 mg/100 g) to help supply amounts normally found in human milk and foods of animal origin.
- 1 Approximately 49% of energy as fat to help achieve acceptable formula osmolality.
- 1 7.8% of energy as linoleic acid.
- 1 Nutrient profile specifically designed for infants and toddlers. May be used by children and adults.
- 1 Non-GMO.*
- 1 DHA and ARA to help support brain and eye development.
- 1 Lactose-free.
- 1 Gluten-free.
- 1 Halal.

Safety Precautions

- 1 Not intended as a sole source of nutrition.
- 1 Give only to infants and toddlers who require extra calories, minerals and vitamins and/or protein restriction who are under medical supervision.
- 1 Must be used with a source of intact protein or amino acids and fluid to completely meet nutrient and water requirements.
- 1 Do not boil mixture or use terminal sterilization.
- 1 **Never use a microwave oven to warm formula.** Serious burns can result.
- 1 Not for IV use.
- 1 Powdered infant formulas are not sterile and should not be fed to premature infants or infants who might have immune problems unless directed and supervised by your baby's doctor.

* *Ingredients not genetically engineered.*

Ingredients

Powder Unflavored:

Corn Syrup Solids, High Oleic Safflower Oil, Coconut Oil, Soy Oil, Modified Corn Starch. Less than 2% of: Calcium Phosphate, Potassium Phosphate, Sodium Citrate, Potassium Citrate, Magnesium Chloride, M. Alpina Oil, C. Cohnii Oil, Calcium Carbonate, Citric Acid, Ascorbic Acid, Inositol, Choline Chloride, Taurine, Ferrous Sulfate, Ascorbyl Palmitate, L-Carnitine, Zinc Sulfate, dl-Alpha-Tocopheryl Acetate, Mixed Tocopherols, Calcium Pantothenate, Niacinamide, Manganese Sulfate, Thiamine Hydrochloride, Copper Sulfate, Vitamin A Palmitate, Riboflavin, Pyridoxine Hydrochloride, Potassium Iodide, Folic Acid, Phylloquinone, Chromium Chloride, Sodium Selenate, Sodium Molybdate, Biotin, Vitamin D3, Vitamin B12, and Salt.

Availability

List Number	Item
67030	Pro-Phree Powder / 14.1-oz (400-g) can / 6 ct

Nutrition Information - Powder Unflavored

	100 g Powder	
	Value	%RDI / %DV
Protein Equivalent, g	0	
Fat, g	28	
Carbohydrate, g	65	
Linoleic Acid, mg	4600	
Linolenic Acid, mg	470	
L-Carnitine, mg	25	
Calories	510	
Vitamin A, IU	1700	
Vitamin A, mcg RE	510	
Vitamin D, IU	575	
Vitamin D, mcg	14.4	
Vitamin E, IU	16	
Vitamin E, mg alpha-TE	8.3	
Vitamin K, mcg	80	
Thiamin (Vitamin B1), mcg	1400	
Riboflavin (Vitamin B2), mcg	825	
Vitamin B6, mcg	710	
Vitamin B12, mcg	1.1	
Niacin, mcg	5550	
Niacin, mg NE	5.6	
Folic Acid (Folacin), mcg	110	
Pantothenic Acid, mcg	5200	
Biotin, mcg	30	
Vitamin C (Ascorbic Acid), mg	85	
Choline, mg	120	
Inositol, mg	180	
Calcium, mg	750	
Phosphorus, mg	525	
Magnesium, mg	70	
Iron, mg	10	
Zinc, mg	6.6	
Manganese, mcg	485	
Copper, mcg	510	
Iodine, mcg	80	
Selenium, mcg	27	
Chromium, mcg	16	
Molybdenum, mcg	17	
Sodium, mg	250	
Sodium, mEq	10.9	

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

Nutrition Information - Powder Unflavored

	100 g Powder	
	Value	%RDI / %DV
Potassium, mg	875	
Potassium, mEq	22.4	
Chloride, mg	350	
Chloride, mEq	9.9	

Preparation

Instructions for Use: Use Only As Directed by a Physician

Your baby's health depends on carefully following these directions. Proper hygiene, handling and storage are important when preparing infant formula. Failure to follow these directions could result in severe harm. Ask your baby's doctor if you need to use cooled, boiled water for mixing and if you need to boil (sterilize) bottles, nipples and rings before use.

- 1 Wash your hands, surfaces and utensils.
- 1 Pour prescribed amount of water into clean container.
- 1 Add prescribed amount of Pro-Phree powder (and other ingredients if recommended).
- 1 Shake well for 10-15 seconds; if using a blender, mix no more than 5 seconds.
- 1 Pour mixture into clean feeding bottles or container; cap.
- 1 Once feeding begins, use within 1 hour or discard.

Approximate weights for uppacked, level U.S. standard dry household measures for powder*

Household Measure (US)	Weight (g)
1 Tbsp	8
1/4 Cup	30
1/3 Cup	40
1/2 Cup	60
1 Cup	120

* For most accurate results, Pro-Phree should be weighed on a scale that reads in grams.

Storage & Handling

Instructions for Use:

- 1 Once mixed, store bottles or container in refrigerator and **feed to baby or child within 24 hours**
- 1 Store unopened or opened can at room temperature; avoid extreme temperatures.
- 1 **Use opened can contents within 1 month.**