

Prosure

Food for the dietary management of patients experiencing unwanted weight loss

Product Information

- Prosure is high energy, high protein nutrition with omega 3 fatty acid (EPA) and antioxidants.
- Drinking ProSure daily (>2 serves) as part of a multimodal cancer-care program has been clinically shown to:
 - Promote weight gain.
 - Help build or maintain lean body mass.
 - Improve appetite and dietary intake.
 - Attenuate the proinflammatory response.
- Helps support immune health as it provides antioxidants (vitamin E & C), EPA (2.1g/ 2serves) and prebiotic fiber Fructooligosaccharide (FOS) {8g/ 2 serves}.
- It is a therapeutic nutritional product specifically designed for people at risk for or experiencing cancer-induced weight loss.
- ProSure is lower in fat than standard oral nutritional supplements and has omega 3-fatty acids (EPA) as part of the lipid blend to help reduce delayed gastric emptying as compared to saturated and omega-6 fatty acids.
- Suitable for lactose intolerance and by nature is gluten free.

Safety Precautions

- Not for Parenteral or IV use.
- Not for people with galactosemia.
- Not for medicinal use.
- Not intended for use in children unless recommended by physician or a qualified healthcare professional.

Ingredients

Maltodextrin, sucrose, milk protein concentrate, calcium caseinate, marine oil, fructooligosaccharides, Minerals***, Stabilizer (arabic gum), vegetable oils (medium chain triglycerides (MCT) oil, soy oil, high oleic sunflower oil), whey protein concentrate, soy polysaccharide, Vitamins**, Antioxidants (mixed tocopherols, soy lecithin) flavoring, choline chloride, taurine and L-carnitine.

Instructions for use

To prepare a single serve of 240ml;

1. Pour 95ml of water into a serving container.
2. With a scoop provided in the can, add 9 levelled scoop of Prosure powder (75g) to the water and mix well.
3. When the powder is thoroughly dissolved, gradually stir in an additional 95ml of water and serve.

When mixed as directed, Prosure provides approximately 1.26kcal/ml

Storage instructions

Once mixed, unused portion of Prosure should be used refrigerated and used within 24hours. Once the container is opened, cover and put in a cool, dry place (not in refrigerator), use within 2 weeks.

Nutrition Information

NUTRIENT	UNIT	POWDER(per 100 g)	STANDARD DILUTION (per 100 ml)^
Energy	kcal	402	126
	kJ	1699	531
Protein	g	20.23	6.32
Fat	g	7.78	2.43
Saturated fatty acids	g	1.9	0.59
Mono-unsaturated fatty acids	g	1.1	0.34
Polyunsaturated fatty acids	g	2.3	0.72
Linoleic acid	g	0.41	0.13
α-linolenic acid	mg	59	18
Eicosapentaenoic acid	g	1.41	0.44
Docosahexaenoic acid	mg	510	159
Trans fat	g	0	0
Cholesterol	mg	10	3
Carbohydrates	g	60.45	18.88
Sugars	g	15.57	4.86
Fiber	g	5.3	1.66
Dietary fiber	g	2.48	0.77
FOS	g	2.82	0.88
Carnitine	mg	25.6	8
Taurine	mg	51.2	16
Choline	mg	147	45.9
VITAMINS**			
Vitamin A	mcg RE	346	108
	IU	1152	360
Beta-carotene	mcg RE	179	56
	IU	1793	560
Vitamin D3	mcg	4.34	1.35
	IU	174	54
Vitamin E	mg α-TE	51.5	16.1
	IU	76.8	24
Vitamin K1	mcg	25.6	8
Vitamin C	mg	110.1	34.4
Thiamin (Vitamin B1)	mcg	720	225

Riboflavin (Vitamin B2)	mcg	740	231
Niacin	mcg	3070	959
Niacin equivalents	mcg NE	5380	1681
Vitamin B6	mcg	770	241
Folic acid	mcg	82	25
Vitamin B12	mcg	1.41	0.44
Biotin	mcg	12.8	4
Pantothenic acid	mcg	2460	769
MINERALS***			
Sodium	mg	307	96
Potassium	mg	461	144
Chloride	mg	358	112
Calcium	mg	371	116
Phosphorous	mg	171	53
Magnesium	mg	107.5	33.6
Iron	mg	1.66	0.52
Zinc	mg	3.5	1.09
Copper	mcg	198	62
Manganese	mcg	1075	336
Selenium	mcg	20.2	6.3
Chromium	mcg	20.5	6.4
Molybdenum	mcg	28.2	8.8
Iodine	mcg	41	12.8