Product Information: Pulmocare®

© 2024 Abbott Laboratories Inc.
Updated 4/5/2024

Abbott Nutrition Abbott Laboratories
Columbus, OH 43219-3034
1-800-227-5767

Pulmocare®

Therapeutic nutrition for people With COPD

- PULMOCARE is designed for people with chronic obstructive pulmonary disease (COPD), cystic fibrosis, or respiratory failure who may benefit from a high-calorie, modified carbohydrate and fat enteral formula that may help reduce diet-induced carbon dioxide production.[1,2,3,4]
- For tube or oral feeding.
- For supplemental or sole-source nutrition.
- Use under medical supervision.

- Provides complete and balanced nutrition.
- 20% of fat as MCTs to enhance fat absorption.
- Elevated antioxidants vitamins C & E, and beta-carotene.
- Kosher.
- Halal.
- Gluten-free.
- Suitable for lactose intolerance.

Safety Precautions

- Not for IV use.
- Not suitable for people with galactosemia.

[1] *Angelillo VA, et al. Ann Intern Med. 1985;103:883-885.*

[2] *Goldstein SA, et al. Clin Chest Med. 1986;7(1):141-151.*

[3] *Cai B, et al. Nutrition. 2003; 19(3):229-32.*

[4] *Sklarek H, et al. Am Rev Respir Dis. 1987;135-A359.*

Ingredients

Liquid Vanilla:

Water, Sodium Caseinate, Sugar, Canola Oil, Corn Maltodextrin, Medium Chain Triglycerides, Corn Oil, Calcium Caseinate, High Oleic Safflower Oil. Less than 0.5% of: Natural & Artificial Flavor, Calcium Phosphate, Magnesium Phosphate, Soy Lecithin, Potassium Citrate, Potassium Chloride, Sodium Citrate, Salt, Choline Chloride, Ascorbic Acid, L-Carnitine, Taurine, Gellan Gum, Ferrous Sulfate, dl-Alpha-Tocopheryl Acetate, Zinc Sulfate, Niacinamide, Calcium Pantothenate, Manganese Sulfate, Copper Sulfate, Pyridoxine Hydrochloride, Thiamine Hydrochloride, Riboflavin, Vitamin A Palmitate, Beta-Carotene, Folic Acid, Chromium Chloride, Sodium Molybdate, Potassium Iodide, Sodium Selenate, Phylloquinone, Biotin, Vitamin D3, and Vitamin B12.
Allergens: Contains milk and soy ingredients.

Availability

List Number	Item
62725	Pulmocare / 33.8 fl oz (1 L) Ready-To-Hang Prefilled Container / 8 ct
64811	Pulmocare Vanilla / 8 fl oz (237 mL) Recloseable Carton / 24 ct

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

© 2024 Abbott Laboratories Inc.
Updated 4/5/2024

Abbott Nutrition Abbott Laboratories
Columbus, OH 43219-3034
1-800-227-5767

Pulmocare®

Therapeutic nutrition for people With COPD

Nutrition Information - Liquid Vanilla

	8 fl oz (237 mL)	
	Value	%RDI / %DV
Protein, g	14.8	
Fat, g	22.1	
Carbohydrate, g	25	
Total Sugars, g	14	
Added Sugars, g	14	
L-Carnitine, mg	38	
Taurine, mg	38	
Water, mL	186	
Calories	355	
Vitamin A, mcg RAE	220*	
Vitamin D, mcg	4.8	
Vitamin E, mg	6.4	
Vitamin K, mcg	29	
Vitamin C, mg	76	
Folate, mcg DFE	95	
Folic Acid, mcg	57	
Thiamin (Vitamin B1), mg	0.43	
Riboflavin (Vitamin B2), mg	0.45	
Vitamin B6, mg	0.52	
Vitamin B12, mcg	0.57	
Niacin, mg	3.8	
Choline, mg	130	
Biotin, mcg	8.3	
Pantothenic Acid, mg	2.4	
Sodium, mg	360	
Potassium, mg	550	
Chloride, mg	550	
Calcium, mg	310	
Phosphorus, mg	300	
Magnesium, mg	100	
Iodine, mcg	36	
Manganese, mg	0.55	
Copper, mg	0.33	
Zinc, mg	2.6	
Iron, mg	4.3	
Selenium, mcg	13	
Chromium, mcg	15	
Molybdenum, mcg	17	

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

© 2024 Abbott Laboratories Inc.
Updated 4/5/2024

Abbott Nutrition Abbott Laboratories
Columbus, OH 43219-3034
1-800-227-5767

Liquid Vanilla Footnotes & References

Per 8 fl oz (237 mL)

*80 mcg RAE of vitamin A activity supplied by 0.2 mg Beta-Carotene.

Preparation

Instructions for Use:

8 fl oz Container

- Store unopened at room temperature; avoid extreme temperatures.
- Shake well prior to opening.
- After opening, refrigerate and consume product within 48 hours. If consuming product directly from the container, refrigerate and consume within 24 hours.

Oral Feeding

- May be used for total or supplemental nutrition.
- May be fed at room temperature or chilled.

Tube Feeding

- Follow physician's instructions.
- Adjust flow rate and volume according to patient's condition and tolerance.
- Feed at room temperature using a feeding pump or syringe.
- Additional fluid requirements should be met by giving water between or after feedings or when flushing the tube.
- Avoid contamination during preparation and use.

Ready-To-Hang Container

All medical foods, regardless of type of administration system, require careful handling because they can support microbial growth. Follow these instructions for clean technique and proper setup to reduce the potential for microbial contamination.

NOTE: Failure to follow the **INSTRUCTIONS FOR USE** increases the potential for microbial contamination and may reduce hangtime.

- Administer product at room temperature.
- THOROUGHLY wash hands with soap and water before handling container or feeding set.
- Turn container upside down and SHAKE VIGOROUSLY, using a twisting motion for at least 10 seconds.
- DO NOT touch any part of the container or feeding set that comes into contact with the formula.
- When initiating feeding, follow physician's instructions. Adjust flow rate and volume according to patient's condition and tolerance.
- Additional fluid requirements should be met by giving water between or after feedings or when flushing the tube.

For Use with Enteral Feeding Pumps:

- Remove dust cover from RTH Safety Screw Cap.
- Remove dust cover from feeding set connector.
- Insert feeding set connector into port of RTH Safety Screw Cap and completely pierce foil.
- Turn connector collar clockwise until it is securely fastened.
- Close clamp on set before inverting container.
- Invert container and suspend, using hanging ring on bottom of container.

Precautions

- Follow directions for use provided by manufacturer of feeding sets.
- Unless a shorter hang time is specified by the set manufacturer, hang product for up to 48 hours after initial connection when clean technique and only one new set are used. Otherwise hang for no more than 24 hours.

© 2024 Abbott Laboratories Inc.
Updated 4/5/2024

Abbott Nutrition Abbott Laboratories
Columbus, OH 43219-3034
1-800-227-5767