Product Information: Similac® For Spit-Up NON-GMO

For more information, contact your Abbott Nutrition Representative or visit www.abbottnutrition.com

© 2024 Abbott Laboratories Inc. Updated 5/31/2024

Abbott Nutrition Abbott Laboratories Columbus, OH 43219-3034 1-800-227-5767 1 of 5



Similac[®] For Spit-Up NON-GMO Infant Formula with Iron

- 1 A 20 Cal/fl oz nutritionally complete milk-based formula with added rice starch to help reduce frequent spit up.
- Suitable for lactose sensitivity. 1
- Non-GMO.[†] 1
- A non-GMO[†] option for complete nutrition for baby's first year. 1
- No artificial growth hormones.[‡] 1
- OptiGRO® is our exclusive blend of DHA, lutein and vitamin E: these important ingredients 1 are found in breast milk.
 - DHA for brain and eye development.
 - Lutein to support eye health. 0
 - Vitamin E, an important nutrient to support developing cells.
- Our exclusive formula has: 1
 - Lutein and DHA for baby's developing eyes and brain.
 - Calcium for strong bones no palm olein oil.
 - Nucleotides to help support the immune system.
 - Prebiotics to help promote digestive health.
 - Carotenoids like those naturally found in breast milk.
- Easy to digest milk-based formula with added rice starch. 1
- Clinically shown to reduce frequent spit up in healthy babies by 54%.^{1,§} 1
- Clinically shown to support normal infant growth.¹ 1
- Kosher made with dairy ingredients. 1
- Halal. 1
- Gluten-free. 1

Safety Precautions

- Never use a microwave oven to warm formula. Serious burns can result. 1
- Powdered infant formulas are not sterile and should not be fed to premature infants or 1 infants who might have immune problems unless directed and supervised by your baby's doctor.
- Not for use by infants or children with galactosemia. 1

Typical value 0.1 g lactose/100 kcal compared to Similac® Advance® (11 g lactose/100 kcal).

- [†] Ingredients not genetically engineered.
- [†] Ingredients not genetically engineered.


[‡] Milk ingredients are derived from milk of non-rbST-treated cows, which is not different from milk of rbST-treated cows.

§ Among healthy 2-month-old infants compared to a standard formula.

¹ Lasekan JB, et al. J Am Coll Nutr. 2014;33(2):136-146.

Ingredients

For more information, contact your Abbott Nutrition Representative or visit www.abbottnutrition.com



Abbott Nutrition Abbott Laboratories Columbus, OH 43219-3034 1-800-227-5767





Infant Formula with Iron

Liquid Unflavored:

Water, Corn Syrup, Rice Starch, Milk Protein Isolate, High Oleic Safflower Oil, Soy Oil, Sugar, Coconut Oil, Galactooligosaccharides^{*}. Less than 0.5% of: Schizochytrium Sp. Oil[†], M. Alpina Oil[‡], Beta-Carotene, Lutein, Calcium Phosphate, Calcium Carbonate, Potassium Chloride, Potassium Phosphate, Ascorbic Acid, Magnesium Chloride, Potassium Citrate, Soy Lecithin, Monoglycerides, Carrageenan, Inositol, Choline Chloride, Potassium Hydroxide, Ferrous Sulfate, Taurine, Choline Bitartrate, Zinc Sulfate, L-Carnitine, Niacinamide, d-Alpha-Tocopheryl Acetate, Calcium Pantothenate, Riboflavin, Vitamin A Palmitate, Copper Sulfate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Potassium Iodide, Folic Acid, Phylloquinone, Biotin, Sodium Selenate, Vitamin D3, Vitamin B12, and Nucleotides (Adenosine 5'-Monophosphate, Cytidine 5'-Monophosphate, Disodium Guanosine 5'-Monophosphate, Disodium Uridine 5'-Monophosphate).

Prebiotic.

[†] Source of DHA.

[‡] Source of ARA.

Allergens: Contains milk and soy ingredients.

Availability

List Number	Item	
67389	Similac for Spit Up Ready to Feed / 2 fl oz (59 mL) Bottle / 4 x 12 ct	

For more information, contact your Abbott Nutrition Representative or visit www.abbottnutrition.com

© 2024 Abbott Laboratories Inc. Updated 5/31/2024

Abbott Nutrition Abbott Laboratories Columbus, OH 43219-3034 1-800-227-5767



Similac® For Spit-Up NON-GMO

Infant Formula with Iron

Nutrition Information - Liquid Unflavored

	100 Cal (5 fl oz)		1000 mL (1.1 QT)	
	Value	%RDI / %DV	Value	%RDI / %DV
Calories	100		676	
Volume, mL	148		1000	
Protein, g	2.1		14.19	
Fat, g	5.4		36.49	
Carbohydrate, g	11		74.32	
Water, g	133		899	
Linoleic Acid, mg	1000		6757	
Vitamin A, IU	300		2027	
Vitamin D, IU	60		405	
Vitamin E, IU	1.5		10.1	
Vitamin K, mcg	8		54.1	
Thiamin (Vitamin B1), mcg	100		676	
Riboflavin (Vitamin B2), mcg	150		1014	
Vitamin B6, mcg	60		405	
Vitamin B12, mcg	0.25		1.69	
Niacin, mcg	1050		7095	
Folic Acid (Folacin), mcg	15		101.4	
Pantothenic Acid, mcg	450		3041	
Biotin, mcg	4.4		29.7	
Vitamin C (Ascorbic Acid), mg	9		60.8	
Choline, mg	24		162.2	
Inositol, mg	24		162.2	
Calcium, mg	84		568	
Calcium, mEq	5.2		28.4	
Phosphorus, mg	56		378	
Magnesium, mg	6		40.5	
Iron, mg	1.8		12.16	
Zinc, mg	0.75		5.07	
Manganese, mcg	5		33.8	
Copper, mcg	90		608	
lodine, mcg	15		101	
Selenium, mcg	2		14	
Sodium, mg	30		203	
Sodium, mEq	1.3		8.8	
Potassium, mg	107		723	
Potassium, mEq	2.7		18.2	
Chloride, mg	65		439	
Chloride, mEq	1.8		12.2	

For more information, contact your Abbott Nutrition Representative or visit www.abbottnutrition.com

© 2024 Abbott Laboratories Inc. Updated 5/31/2024

Abbott Nutrition Abbott Laboratories Columbus, OH 43219-3034 1-800-227-5767 4 of 5



Infant Formula with Iron

Preparation

Instructions for Use:

Ready to Feed

Your baby's health depends on carefully following these directions. Failure to follow these directions could result in severe harm. Ask your baby's doctor if you need to boil (sterilize) bottles, nipples and rings before use.

- 1 Do not add water.
- 1 Shake very well.
- 1 Do not use if breakaway ring is missing or broken.
- 1 Twist off cap.
- 1 Twist on nipple and ring.
 - 1 Use sterile nipple and ring if directed.
- 1 Once oral feeding begins, use within 1 hour or discard.

Storage & Handling

Instructions for Use:

Ready to Feed

- 1 Avoid prolonged exposure of bottles to light.
- 1 Store unopened containers at room temperature; avoid extreme temperatures.

For more information, contact your Abbott Nutrition Representative or visit www.abbottnutrition.com

