

Product Information: Similac® Organic with A2 Milk

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

Similac® Organic with A2 Milk

Infant formula with iron

- 1 A 20 Cal/fl oz, organic, milk-based, iron-fortified infant formula for use as a supplement or alternative to breastfeeding.
- 1 Certified USDA Organic.
- 1 Made with premium ingredients, including lactose like that found in breast milk.
- 1 OptiGRO® is our exclusive blend of DHA, lutein and vitamin E: these important ingredients are found in breast milk.
 - DHA for brain and eye development.
 - Lutein to support eye health.
 - Vitamin E, an important nutrient found in breast milk to support developing cells.
- 1 Our exclusive formula has:
 - Calcium for strong bones - no palm olein oil.
 - Nucleotides to help support the immune system.
 - FOS, a prebiotic to help promote digestive health.
- 1 Made with NO palm olein oil, NO artificial growth hormones,* and NO antibiotics, and it's non-GMO.†
- 1 Gluten-free.
- 1 Kosher.
- 1 Halal.



Safety Precautions

- 1 Not for infants or children with galactosemia.
- 1 **Never use a microwave oven to warm formula.** Serious burns can result.
- 1 Powdered infant formulas are not sterile and should not be fed to premature infants or infants who might have immune problems unless directed and supervised by your baby's doctor.

* No significant difference has been shown between milk derived from rbST-treated and non-rbST-treated cows.

† Ingredients not genetically engineered.

Ingredients

Powder Unflavored:

Organic Lactose, Organic Nonfat Milk, Organic High Oleic Sunflower Oil, Organic Soy Oil, Organic Coconut Oil. Less than 2% of: C. Cohnii Oil, M. Alpina Oil, Beta-Carotene, Lutein, Short-chain Fructooligosaccharides, Potassium Citrate, Calcium Carbonate, Ascorbic Acid, Ascorbyl Palmitate, Ferrous Sulfate, Salt, Choline Chloride, Choline Bitartrate, Taurine, Inositol, Magnesium Chloride, Zinc Sulfate, Mixed Tocopherols, d-Alpha-Tocopheryl Acetate, Niacinamide, Calcium Pantothenate, L-Carnitine, Vitamin A Palmitate, Copper Sulfate, Thiamine Hydrochloride, Riboflavin, Pyridoxine Hydrochloride, Folic Acid, Manganese Sulfate, Phylloquinone, Biotin, Sodium Selenate, Vitamin D3, Vitamin B12, Potassium Iodide, Potassium Hydroxide, and Nucleotides (Adenosine 5'-Monophosphate, Cytidine 5'-Monophosphate, Disodium Guanosine 5'-Monophosphate, Disodium Uridine 5'-Monophosphate).

Allergens: Contains milk ingredients.

Availability

List Number	Item
67765	Similac Organic with A2 Milk Powder / 23.2 oz (658 g) SimplePac / 4 ct
67908	Similac Organic with A2 Milk Powder / 23.2 oz (658 g) SimplePac / 4 ct
68099	Similac Organic with A2 Milk Powder / 20.6 oz (584 g) Simplepac / 4 ct
68102	Similac Organic with A2 Milk Powder / 20.6 oz (584 g) Simplepac / 4 ct

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

Abbott Nutrition Abbott Laboratories
Columbus, OH 43219-3034
1-800-227-5767



Similac® Organic with A2 Milk

Infant formula with iron

Nutrition Information - Powder Unflavored

	100 Cal (5 fl oz, prepared as directed)		1000 mL (1.1 QT, prepared as directed)	
	Value	%RDI / %DV	Value	%RDI / %DV
Calories	100		676	
Volume, mL	148		1000	
Protein, g	2.07		13.99	
Fat, g	5.63		38.05	
Carbohydrate, g	10.4		70.29	
Water, g	133		899	
Linoleic Acid, mg	860		5812	
Vitamin A, IU	300		2028	
Vitamin D, IU	60		406	
Vitamin E, IU	1.5		10.1	
Vitamin K, mcg	8		54.1	
Thiamin (Vitamin B1), mcg	100		676	
Riboflavin (Vitamin B2), mcg	150		1014	
Vitamin B6, mcg	60		405	
Vitamin B12, mcg	0.25		1.69	
Niacin, mcg	1050		7097	
Folic Acid (Folacin), mcg	15		101.4	
Pantothenic Acid, mcg	450		3041	
Biotin, mcg	4.4		29.7	
Vitamin C (Ascorbic Acid), mg	9		60.8	
Choline, mg	24		162.2	
Inositol, mg	24		162.2	
Calcium, mg	78		527	
Calcium, mEq	3.9		26.4	
Phosphorus, mg	42		284	
Magnesium, mg	6		40.6	
Iron, mg	1.8		12.17	
Zinc, mg	0.75		5.07	
Manganese, mcg	5		33.8	
Copper, mcg	90		608	
Iodine, mcg	15		101	
Selenium, mcg	2		14	
Sodium, mg	24		162	
Sodium, mEq	1.04		7	
Potassium, mg	105		710	
Potassium, mEq	2.7		18.2	
Chloride, mg	65		439	
Chloride, mEq	1.8		12.2	

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

Preparation

Instructions for Use:

Powder

Your baby's health depends on carefully following these directions. Proper hygiene, handling and storage are important when preparing infant formula. Failure to follow these directions could result in severe harm. Ask your baby's doctor if you need to use cooled, boiled water for mixing and if you need to boil (sterilize) bottles, nipples and rings before use.

- 1 Wash your hands, surfaces and utensils.
- 1 Pour water into clean bottle (see Powder Mixing Guide).
- 1 Add 1 unpacked level scoop (8.6 g) to each 2 fl oz of water.
- 1 Return dry scoop to holder in lid.
- 1 Cap bottle; shake well; attach nipple.
- 1 Once feeding begins, **use within 1 hour or discard.**

Powder Mixing Guide

Measure water	+	Add scoop(s) of <i>unpacked level powder</i> using enclosed scoop	=	Finished bottle (approx)
2 fl oz		1 scoop (8.6 g)		2 fl oz
4 fl oz		2 scoops		4 fl oz
6 fl oz		3 scoops		6 fl oz
8 fl oz		4 scoops		8 fl oz

For larger size mixing instructions, please visit www.Similac.com/mixinginfo.

Storage & Handling

Instructions for Use:

Powder

- 1 Once mixed, store bottles in refrigerator and **feed to baby within 24 hours.**
- 1 Store unopened or opened container at room temperature; avoid extreme temperatures.
- 1 **Use opened container contents within 1 month.**
- 1 Do not reuse container.