

Product Information: Similac Sensitive® Concentrated Liquid

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

Similac Sensitive® Concentrated Liquid

Infant formula with iron

- 1 A 20-Cal/fl oz, nutritionally complete infant feeding that is an alternative to standard milk-based formulas. For mild tolerance symptoms such as fussiness and gas due to lactose sensitivity.
- 1 Suitable for infants with lactose sensitivity.*
- 1 A unique blend of two carbohydrates to help maximize absorption and minimize malabsorption risks.
- 1 OptiGRO™ is our exclusive blend of DHA, lutein and vitamin E: these important ingredients are found in breast milk.
 - DHA for brain and eye development.
 - Lutein to support eye health.
 - Vitamin E, an important nutrient to support developing cells.
- 1 Our exclusive formula has:
 - Calcium for strong bones - no palm olein oil.
 - Nucleotides to help support the immune system.
 - Prebiotics to help promote digestive health.
 - Carotenoids like those naturally found in breast milk.
- 1 Clinically shown to support growth in infants.¹
- 1 No artificial growth hormones.[†]
- 1 Low osmolality (200 mOsm/kg water).
- 1 Gluten-free.
- 1 Halal.
- 1 Kosher.



Safety Precautions

- 1 **Never use a microwave oven to warm formula.** Serious burns can result.
- 1 Not for use by infants or children with galactosemia.

* Typical value 0.1 g lactose/100 kcal compared to Similac Advance (11 g lactose/100 kcal).

† No significant difference has been shown between milk derived from rbST-treated and non-rbST-treated cows.

¹ Lasekan JB, et al. Clin Pediatr 2011;50:330-337.

Ingredients

Concentrated Liquid Unflavored:

Water, Corn Maltodextrin, Sugar, Milk Protein Isolate, High Oleic Safflower Oil, Soy Oil, Coconut Oil, Galactooligosaccharides. Less than 1% of: C. Cohnii Oil, M. Alpina Oil, Beta-Carotene, Lutein, Lycopene, Modified Corn Starch, Calcium Phosphate, Potassium Citrate, Potassium Chloride, Magnesium Chloride, Monoglycerides, Soy Lecithin, Carrageenan, Calcium Carbonate, Ascorbic Acid, Choline Chloride, Salt, Ferrous Sulfate, Choline Bitartrate, Taurine, Inositol, dl-Alpha-Tocopheryl Acetate, Zinc Sulfate, L-Carnitine, Niacinamide, Calcium Pantothenate, Copper Sulfate, Thiamine Hydrochloride, Vitamin A Palmitate, Riboflavin, Pyridoxine Hydrochloride, Folic Acid, Manganese Sulfate, Potassium Iodide, Phylloquinone, Biotin, Sodium Selenate, Vitamin D3, Vitamin B12, Potassium Hydroxide, and Nucleotides (Adenosine 5'-Monophosphate, Cytidine 5'-Monophosphate, Disodium Guanosine 5'-Monophosphate, Disodium Uridine 5'-Monophosphate).

Allergens: Contains milk and soy ingredients.

Availability

List Number	Item
57535	Similac Sensitive Concentrated Liquid / 13 fl oz (384 mL) Can / 6 ct

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

Abbott Nutrition Abbott Laboratories
Columbus, OH 43219-3034
1-800-227-5767

2 of 4



Similac Sensitive® Concentrated Liquid

Infant formula with iron

Nutrition Information - Concentrated Liquid Unflavored

	100 Cal Unreconstituted*		100 Cal (5 fl oz, prepared as directed)		1000 mL (1.1 QT, prepared as directed)	
	Value	%RDI / %DV	Value	%RDI / %DV	Value	%RDI / %DV
Calories	100		100		676	
Volume, mL	74		148		1000	
Protein, g	2.1		2.1		14.47	
Fat, g	5.4		5.4		36.52	
Carbohydrate, g	11.1		11.1		75.1	
Water, g	60		133		899	
Linoleic Acid, mg	1000		1000		6763	
Potential Renal Solute Load, mOsm	19.9		19.9		134.7	
Vitamin A, IU	300		300		2029	
Vitamin D, IU	60		60		406	
Vitamin E, IU	3		3		20.3	
Vitamin K, mcg	8		8		54	
Thiamin (Vitamin B1), mcg	100		100		676	
Riboflavin (Vitamin B2), mcg	150		150		1014	
Vitamin B6, mcg	60		60		406	
Vitamin B12, mcg	0.25		0.25		1.69	
Niacin, mcg	1050		1050		7101	
Folic Acid (Folacin), mcg	15		15		101	
Pantothenic Acid, mcg	450		450		3043	
Biotin, mcg	4.4		4.4		29.8	
Vitamin C (Ascorbic Acid), mg	9		9		61	
Choline, mg	16		16		108	
Inositol, mg	4.3		4.3		29.1	
Calcium, mg	84		84		568	
Calcium, mEq	4.2		4.2		28.3	
Phosphorus, mg	56		56		379	
Magnesium, mg	6		6		40.6	
Iron, mg	1.8		1.8		12.2	
Zinc, mg	0.75		0.75		5.07	
Manganese, mcg	5		5		34	
Copper, mcg	90		90		609	
Iodine, mcg	9		9		61	
Selenium, mcg	2		2		14.0	
Sodium, mg	30		30		203	
Sodium, mEq	1.3		1.3		8.8	
Potassium, mg	107		107		724	
Potassium, mEq	2.7		2.7		18.5	
Chloride, mg	65		65		440	

For more information, contact your Abbott Nutrition Representative or visit www.abbottnutrition.com

Similac Sensitive® Concentrated Liquid

Infant formula with iron

Nutrition Information - Concentrated Liquid Unflavored

	100 Cal Unreconstituted*		100 Cal (5 fl oz, prepared as directed)		1000 mL (1.1 QT, prepared as directed)	
	Value	%RDI / %DV	Value	%RDI / %DV	Value	%RDI / %DV
Chloride, mEq	1.8		1.8		12.4	

Concentrated Liquid Unflavored Footnotes & References

Per 100 Cal Unreconstituted*

*Values reflect unreconstituted formula. Add water before using.

Preparation

Instructions for Use:

Your baby's health depends on carefully following these directions. Failure to follow these directions could result in severe harm. Ask your baby's doctor if you need to use cooled, boiled water for mixing and need to boil (sterilize) bottles, nipples and rings before use.

- 1 Rinse can lid; shake very well; open with a clean punch-type opener.
- 1 Pour equal amounts of formula and water into bottle.
- 1 Attach nipple; swirl gently to mix.
- 1 Once feeding begins, **use within 1 hour or discard.**

Storage & Handling

Instructions for Use:

- 1 Cover opened cans and prepared formula not used immediately.
- 1 Store in refrigerator and **feed to baby within 48 hours.**
- 1 Store unopened cans at room temperature; avoid extreme temperatures.

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com