

## Product Information: Similac Sensitive® for Neuro Support

For more information, contact your Abbott Nutrition Representative or visit  
[www.abbottnutrition.com](http://www.abbottnutrition.com)

# Similac Sensitive® for Neuro Support

## Infant formula with iron

- 1 A 19 Cal/fl oz, nutritionally complete, non-GMO infant feeding that is an alternative to standard milk-based formulas. Complete nutrition for fussiness,\* gas,\* or mild spit-up. Suitable for infants with lactose sensitivity.†
- 1 A non-GMO‡ option for fussiness and gas due to lactose sensitivity.
- 1 DHA, lutein and vitamin E to support your baby's brain and eye development.
- 1 Our exclusive formula has:
  - Calcium for strong bones - no palm olein oil.
  - Nucleotides to help support the immune system.
  - Prebiotics to help promote digestive health.
  - Carotenoids like those naturally found in breast milk.
- 1 Clinically shown to support growth in infants.<sup>1</sup>
- 1 A unique blend of carbohydrates using two different absorptive pathways to help maximize absorption and minimize malabsorption risks.
- 1 Low osmolality (200 mOsm/kg water).
- 1 No artificial growth hormones.<sup>§</sup>
- 1 Gluten-free.
- 1 Halal.
- 1 Kosher.



## Safety Precautions

- 1 **Never use a microwave oven to warm formula.** Serious burns can result.
- 1 Powdered infant formulas are not sterile and should not be fed to premature infants or infants who might have immune problems unless directed and supervised by your baby's doctor.
- 1 Not for infants or children with galactosemia.

\* Due to lactose sensitivity.

† Typical value 0.1 g lactose/100 kcal compared to Similac Advance (11 g lactose/100 kcal).

‡ Ingredients not genetically engineered.

§ No significant difference has been shown between milk derived from rbST-treated and non-rbST-treated cows.

<sup>1</sup> Lasekan JB, et al. Clin Pediatr 2011;50:330-337.

## Ingredients

### Powder Unflavored:

Corn Syrup, Milk Protein Isolate, High Oleic Safflower Oil, Sugar, Soy Oil, Coconut Oil, Galactooligosaccharides. Less than 2% of: C. Cohnii Oil, M. Alpina Oil, Beta-Carotene, Lutein, Lycopene, Potassium Chloride, Sodium Citrate, Calcium Phosphate, Potassium Citrate, Magnesium Phosphate, Ascorbic Acid, Choline Chloride, m-Inositol, Ascorbyl Palmitate, Ferrous Sulfate, Taurine, Magnesium Chloride, Choline Bitartrate, Zinc Sulfate, Calcium Carbonate, L-Carnitine, Mixed Tocopherols, Niacinamide, d-Alpha-Tocopheryl Acetate, Calcium Pantothenate, Vitamin A Palmitate, Cupric Sulfate, Thiamine Chloride Hydrochloride, Riboflavin, Pyridoxine Hydrochloride, Folic Acid, Potassium Iodide, Manganese Sulfate, Phylloquinone, Biotin, Sodium Selenate, Vitamin D3, Cyanocobalamin, Potassium Hydroxide, and Nucleotides (Adenosine 5'-Monophosphate, Cytidine 5'-Monophosphate, Disodium Guanosine 5'-Monophosphate, Disodium Uridine 5'-Monophosphate).

**Allergens:** Contains milk ingredients.

## Availability

List Number	Item
64246	Similac Sensitive for Neuro Support Powder / 22.5 oz (638 g) SimplePac / 6 ct

For more information, contact your Abbott Nutrition Representative or visit  
[www.abbottnutrition.com](http://www.abbottnutrition.com)

# Similac Sensitive® for Neuro Support

Infant formula with iron

## Nutrition Information - Powder Unflavored

	100 Cal (5.3 fl oz, prepared as directed)		1000 mL (1.05 QT, prepared as directed)		1 L (Ped FC)		100 Cal (Ped FC)	
	Value	%RDI / % DV	Value	%RDI / % DV	Value	%RDI / % DV	Value	%RDI / % DV
Calories	100		643		643		100	
Volume, mL	156		1000		1000		156	
Protein, g	2.1		13.5		13.5		2.1	
Fat, g	5.4		34.73					
Carbohydrate, g	11.1		71.4					
Water, g	140		902		900		140	
Linoleic Acid, mg	1000		6431		6431		1000	
Vitamin A, IU	300		1929		1929		300	
Vitamin D, IU	60		386		386		60	
Vitamin E, IU	1.5		9.6		9.6		1.5	
Vitamin K, mcg	8		51.4		51		8	
Thiamin (Vitamin B1), mcg	100		643		643		100	
Riboflavin (Vitamin B2), mcg	160		1029		1029		160	
Vitamin B6, mcg	63		405		405		63	
Vitamin B12, mcg	0.26		1.67		1.67		0.26	
Niacin, mcg	1100		7074		7074		1100	
Folic Acid (Folacin), mcg	16		102.9					
Pantothenic Acid, mcg	470		3022		3023		470	
Biotin, mcg	4.6		29.6		29.6		4.6	
Vitamin C (Ascorbic Acid), mg	9		57.9					
Choline, mg	24		154.3		154		24	
Inositol, mg	24		154.3		28.9		4.5	
Calcium, mg	88		566					
Calcium, mEq	4.4		28.3					
Phosphorus, mg	59		379		379		59	
Magnesium, mg	6		38.6		38.6		6	
Iron, mg	1.9		12.22		12.2		1.9	
Zinc, mg	0.79		5.08		5.08		0.79	
Manganese, mcg	5		32.2		32		5	
Copper, mcg	95		611		611		95	
Iodine, mcg	15		96		58		9	
Selenium, mcg	2		13		13		2	
Sodium, mg	32		206					
Sodium, mEq	1.4		9					
Potassium, mg	110		707					
Potassium, mEq	2.8		18					
Chloride, mg	68		437					

For more information, contact your Abbott Nutrition Representative or visit [www.abbottnutrition.com](http://www.abbottnutrition.com)

# Similac Sensitive® for Neuro Support

Infant formula with iron

## Nutrition Information - Powder Unflavored

	100 Cal (5.3 fl oz, prepared as directed)		1000 mL (1.05 QT, prepared as directed)		1 L (Ped FC)		100 Cal (Ped FC)	
	Value	%RDI / % DV	Value	%RDI / % DV	Value	%RDI / % DV	Value	%RDI / % DV
Chloride, mEq	1.9		12.2					

## Preparation

### Instructions for Use:

#### Powder

Your baby's health depends on carefully following these directions. Proper hygiene, handling and storage are important when preparing infant formula. Failure to follow these directions could result in severe harm. Ask your baby's doctor if you need to use cooled, boiled water for mixing and if you need to boil (sterilize) bottles, nipples and rings before use.

- 1 Wash your hands, surfaces and utensils.
- 1 Pour water into clean bottle (see Powder Mixing Guide).
- 1 Add 1 unpacked level scoop (8.3 g) to each 2 fl oz of water.
- 1 Return dry scoop to container.
- 1 Cap bottle; shake well; attach clean nipple.
- 1 Once feeding begins, **use within 1 hour or discard.**

#### Powder Mixing Guide

Measure water	Add scoop(s) of <i>unpacked level powder using enclosed scoop</i>	Finished bottle (approx)
2 fl oz	1 scoop (8.3 g)	2 fl oz
4 fl oz	2 scoops	4 fl oz
6 fl oz	3 scoops	6 fl oz
8 fl oz	4 scoops	8 fl oz

For larger size mixing instructions, please visit [www.Similac.com/mixinginfo](http://www.Similac.com/mixinginfo).

## Storage & Handling

### Instructions for Use:

#### Powder

- 1 Once mixed, store bottles in refrigerator and **feed to baby within 24 hours.**
- 1 Store unopened or opened container at room temperature; avoid extreme temperatures.
- 1 **Use opened can contents within 1 month.**
- 1 Do not reuse container.

For more information, contact your Abbott Nutrition Representative or visit [www.abbottnutrition.com](http://www.abbottnutrition.com)