

Product Information: Similac Total Comfort®

For more information, contact your Abbott Nutrition sales representative or visit
www.abbottnutrition.ca

Similac Total Comfort®

Partially hydrolyzed protein formula with 2'-FL*

Usage

- 1 For term infants 0+ months of age.
- 1 For use as a breast milk substitute in infants who are not exclusively breastfed.
- 1 For oral or tube feeding use.

Features

- 1 Contains 2'-FL oligosaccharides.*
- 1 100% whey protein that is partially hydrolyzed.
- 1 Contains an exclusive blend of DHA, lutein, and natural vitamin E.†
- 1 Non-GMO.‡
- 1 Easy to digest.§
- 1 Gluten-free.
- 1 Kosher.
- 1 Halal.



Safety Precautions

- 1 Powdered infant formulas are not sterile and should not be fed to preterm, low-birth-weight, or immunocompromised infants unless directed and supervised by a health care professional.
- 1 Never use a microwave oven to warm formula; serious burns can result. Test temperature before feeding to avoid scalding the baby's mouth.
- 1 Not for parenteral use.

* Not derived from human milk.

† RRR-alpha-tocopherol, the most bioactive form of vitamin E.

‡ Ingredients not genetically engineered.

§ Similar to other infant formulas.

Ingredients

Powder Unflavored:

Corn Maltodextrin, Whey Protein Hydrolysate, High Oleic Safflower Oil, Sucrose, Soya Oil, Coconut Oil, Fructooligosaccharides, M. Alpina Oil (A Source Of ARA), 2'-Fucosyllactose (2'-FL), Schizochytrium Sp. Oil (A Source of DHA), Taurine, M-Inositol, Cytidine 5'-Monophosphate, Disodium Guanosine 5'-Monophosphate, Ascorbyl Palmitate, L-Carnitine, Disodium Uridine 5'-Monophosphate, Adenosine 5'-Monophosphate, Mixed Tocopherols, Lutein, MINERALS (Calcium Citrate, Potassium Phosphate Monobasic, Tricalcium Phosphate, Potassium Hydroxide, Sodium Chloride, Magnesium Chloride, Potassium Chloride, Calcium Hydroxide, Ferrous Sulphate, Zinc Sulphate, Potassium Citrate, Copper Sulphate, Manganese Sulphate, Potassium Iodide, Sodium Selenate), VITAMINS (Ascorbic Acid, Choline Chloride, Choline Bitartrate, D-Alpha-Tocopheryl Acetate, Niacinamide, Calcium D-Pantothenate, Vitamin A Palmitate, Riboflavin, Thiamine Chloride Hydrochloride, Pyridoxine Hydrochloride, Folic Acid, Beta-Carotene, Phylloquinone, D-Biotin, Vitamin D3, and Cyanocobalamin).

Allergens: Contains milk.

Availability

List Number	Item
6799513	Similac Total Comfort®, Powder; 570-g cans; 6/case
6799613	Similac Total Comfort®, Powder; 837-g cans; 6/case

For more information, contact your Abbott Nutrition sales representative or visit www.abbottnutrition.ca

Abbott Nutrition Abbott Laboratories Co.
Saint-Laurent, Quebec, Canada H4S 1Z6
1-866-767-7411



Similac Total Comfort®

Partially hydrolyzed protein formula with 2'-FL*

Nutrition Information - Powder Unflavored

	100 g (Powder)	100 mL (at standard dilution)
	Value	Value
ENERGY, Cal (kJ)	506 (2117)	68 (283)
Protein, g	12	1.6
Carnitine, mg	9.6	1.3
Taurine, mg	34	4.5
Nucleotides, mg	54	7.2
Fat, g	27	3.7
Linoleic Acid, g	4.1	0.55
Linolenic Acid, g	0.43	0.057
Arachidonic Acid (ARA), g	0.10	0.014
Docosahexaenoic Acid (DHA), g	0.052	0.0070
Carbohydrate, g	54	7.2
Fibre (GOS), g	1.4	0.18
2'-fucosyllactose (2'-FL), mg	150	20
Inositol, mg	25	3.4
Lutein, mg	0.057	0.0076
Vitamin A, IU	1500	201
Vitamin D, IU	303	41
Vitamin E, IU	15	2.0
Vitamin K, mg	0.051	0.0068
Vitamin C, mg	63	8.4
Thiamine, mg	0.44	0.059
Riboflavin, mg	0.50	0.067
Niacin, mg	5.3	0.71
Vitamin B6, mg	0.36	0.048
Folic Acid, mg	0.075	0.0101
Vitamin B12, mg	0.0022	0.0003
Pantothenic Acid, mg	3.7	0.50
Biotin, mg	0.022	0.0030
Choline, mg	76	10
Sodium, mg	223	30
Potassium, mg	664	89
Chloride, mg	403	54
Calcium, mg	530	71
Phosphorus, mg	379	51
Magnesium, mg	38	5.1
Iron, mg	7.6	1.0
Zinc, mg	4.1	0.55
Iodine, mg	0.076	0.010
Copper, mg	0.46	0.061

For more information, contact your Abbott Nutrition sales representative or visit www.abbottnutrition.ca

Abbott Nutrition Abbott Laboratories Co.
Saint-Laurent, Quebec, Canada H4S 1Z6
1-866-767-7411



Similac Total Comfort®

Partially hydrolyzed protein formula with 2'-FL*

Nutrition Information - Powder Unflavored

	100 g (Powder)	100 mL (at standard dilution)
	Value	Value
Manganese, mg	0.036	0.005
Selenium, mg	0.012	0.0016

Product Characteristics

	Value
AT STANDARD DILUTION	
Caloric Density (Cal/mL)	0.68
Protein (% of total energy)	9.3
Protein Source	Whey protein hydrolysate
Fat (% of total energy)	48.6
MCT oil (% of total fats)	0.0
Omega-6:Omega-3 Ratio	9.19:1
Fat Source	High oleic safflower oil, coconut oil, soy oil, M. alpina oil, schizochytrium sp. oil
Carbohydrate (% of total energy)	42.1
Carbohydrate Source	Corn maltodextrin, sucrose, scFOS, 2-FL*
Total Cal:g Nitrogen Ratio	264:1
Nonprotein Cal:g Nitrogen Ratio	239:1
Water (g/L)	900
Osmolality (mOsm/kg water)	180
Renal Solute Load (mOsm/L)	158
Recommended Tube Size for Gravity/Pump Feeding (Fr)	N/A

* Not derived from human milk.

For more information, contact your Abbott Nutrition sales representative or visit www.abbottnutrition.ca

Preparation

Directions for Preparation and Use:

Your baby's health depends on carefully following these directions. Proper hygiene, preparation, mixing and storage are important when using infant formula. Failure to follow these directions could result in severe harm. Use as directed by your health care professional.

- 1 Wash hands thoroughly with soap and water.
- 1 Sterilize [equipment]: Place washed bottles, nipples, rings, caps and all preparation equipment in boiling water and keep at a rolling boil for 2 minutes. Sterilize [water]: In another pot, bring water to a rolling boil for 2 minutes. Cool to room temperature.
- 1 Prepare formula using enclosed scoop – See MIXING GUIDE. Return dry scoop to container.
- 1 Cap bottle; shake well; attach nipple. Once feeding begins, use within 1 hour or discard.

MIXING GUIDE

Cooled Sterilized Water	Unpacked Level Scoop(s)
60 mL	1
120 mL	2
180 mL	3
240 mL	4

Storage:

Once mixed, refrigerate bottles immediately; use within 24 hours. Store container under normal room temperature conditions. Once opened, use contents within 1 month. Do not reuse container.